

## United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO. CONFIRMATION NO.		
10/660,858	09/12/2003	Huy D. Phan	03-142 (US01)	8646	
23410	7590 08/18/2006		EXAMINER		
Vista IP Law Group LLP 2040 MAIN STREET, 9TH FLOOR			VRETTAKOS, PETER J		
IRVINE, CA 92614			ART UNIT	PAPER NUMBER	
			3739		
			DATE MAILED: 08/18/2006	DATE MAILED: 08/18/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

		on No.	Applicant(s)				
Office Action Summary		58	PHAN ET AL.				
			Art Unit				
	Peter J. V		3739				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).  Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s)	iled on						
2a) ☐ This action is FINAL.	2b)⊠ This action is r	on-final.					
3) Since this application is in condition	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)⊠ Claim(s) <u>18,19,24,29-38 and 40-60</u> is/are pending in the application.							
4a) Of the above claim(s) 19,24,29,33,36,40-58 and 60 is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>18,30-32,34-35,37-38 and 59</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to rest	riction and/or election i	equirement.					
Application Papers							
9)☐ The specification is objected to by the Examiner.							
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No</li> </ul>							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review  3) Information Disclosure Statement(s) (PTO-1449 Paper No(s)/Mail Date		4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other:	ate	<sup>-</sup> O-152)			

Application/Control Number: 10/660,858

Art Unit: 3739

## **DETAILED ACTION**

Claims 18-19,24,29-38 and 40-60 are pending.

Claims 18,30-32,34-35,37-38 and 59 are elected.

Claims 19,24,29,33,36,40-58 and 60 are withdrawn.

## Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Claims 18,30-32,34-35,37-38 and 59 are rejected under 35 U.S.C. 102(e) as being anticipated by Swanson (6,827,714).

The applied reference has a common assignee with the instant application.

Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome

Application/Control Number: 10/660,858

Art Unit: 3739

either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131.

Swanson discloses a method of placing and energizing to create a transmural lesion (col. 13:50), an ablative element (48, introduced extravascularly – median sternotomy – col. 12:62) and ground element (10, introduced intravascularly – jugular vein – col. 13:2) on alternate sides of a heart wall (see figure 12). Note: the exterior of the heart includes epithelial and epicardial surfaces, and the interior of the heart includes endothelial and endocardial surfaces. Also, figure 12 shows ablation element in contact with the exterior heart wall, and col. 13:57-60 discloses that the ground element 10 can be placed in contact with the interior heart wall.

Claims 18,31-32,34-35,37-38 and 59 are rejected under 35 U.S.C. 102(e) as being anticipated by Hooven et al. (6,517,536).

Hooven discloses ablative (50) and ground (51) elements placed in contact on opposite sides of a heart wall thickness (see figures 52) creating transmural lesions (see patented title). Note: the exterior of the heart includes epithelial and epicardial surfaces, and the interior of the heart includes endothelial and endocardial surfaces.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter J. Vrettakos whose telephone number is 571-272-4775. The examiner can normally be reached on M-F 9-6.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Linda C. Dvorak can be reached on 571-272-4764. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Pete Vrettakos August 10, 2006

ROY D. GIBSON PRIMARY EXAMINER